

1647

10

ILLUMINATION

by

SILVRAY

LUMINAIRES

ADULT INQUIRY





COVELIGHT



INDIRECT



SPRAYLITE

[BLANK PAGE]



CCA



SILVRAY

"Standish"

A new departure in Indirect luminaires with many unusual advantages.

1. Relamped from below without touching bowl.
2. Double flashed Opal glass softly illuminated, suggesting a light source which blends into the background.
3. No cleaning maintenance required. The light output is not affected by dust accumulation in the unit.
4. Bowl and support removed from suspension for occasional washing by one twist -- no screws or complicated assemblies.

Constructed from heavy gauge metals and finished in triple plated cadmium-pewter for permanence.

Self-aligning swivel joint concealed in canopy.

Cat. No.	Wattage	Length (Suspen.)	Dia.
101/2	200	24"	16"
102/3	300	31"	18"
102/5	500	31"	18"

Patented No. 1596725

[BLANK PAGE]



CCA



SILVRAY

"Pilgrim"

Totally indirect luminous bowl type, handsome in its simplicity.

1. Relamping from below without handling parts.
2. No cleaning maintenance required. The light output is not affected by dust in the bowl.
3. For occasional washing, the bowl and support are instantly removable by one twist -- no screws or complicated assemblies.
4. Luminous bowl suggests a light source.

Constructed from heavy gauge metal and durably plated. Bowl of opalescent glassware.

Self-aligning swivel joint concealed in canopy.

Cat No.	Wattage	Length (Suspen.)	Dia.
110/2	200	24"	16"
111/3	300	31"	18"
111/5	500	31"	18"

Patented No. 1596725

[BLANK PAGE]



CCA



SILVRAY

"Bilite"

Designed along conservative lines. Semi-indirect in appearance but totally indirect in result.

1. The bowl of art glass is softly and evenly illuminated, suggesting a light source.
2. No cleaning maintenance is required, since the light output is not affected by dust accumulating in the bowl.
3. When occasionally washed for hygienic reasons, one twist removes bowl and support from suspension. No screws or complicated assemblies.

Bowl of art glass -- metal part finished in satin cadmium pewter.

Self-aligning swivel joint.

Cat. No.	Wattage	Length (Suspend.)	Dia.
200/1	100	24"	14"
200/1½	150	24"	14"
201/2	200	24"	16"
202/3	300	31"	18"
202/5	500	31"	18"
203/7½	750	38"	24"
203/10	1000	38"	24"
203/15	1500	38"	24"

Patented No. 1609870

[BLANK PAGE]



CCA



SILVRAY

"Old Colony"

A widely accepted all-metal unit of good design.

Totally indirect of the opaque bowl type, possessing many attractive features.

No cleaning maintenance required, since dust accumulating in the bowl has no effect on light output.

When occasionally washed for hygienic reasons, one twist removes bowl and support from suspension.

Constructed from heavy gauge metal -- Reeded stem suspension -- Finished in satin cadmium pewter for permanence.

Self-aligning swivel joint.

Cat. No.	Wattage	Length (Suspend.)	Dia.
210/1½	150	24"	14"
211/2	200	24"	16"
212/3	300	31"	18"
212/5	500	31"	18"
213/7½	750	38"	24"
213/10	1000	38"	24"
213/15	1500	38"	24"

Patented No. 1609870

[BLANK PAGE]



CCA



SILVRAY

"Puritan"

An unusually attractive metal-and-glass Indirect Unit featuring a luminous louvre arrangement. Other advantages include:

1. Relamping from below without handling parts.
2. No cleaning maintenance required. The light output is not affected by dust accumulating in the bowl.
3. Bowl and support are instantly removable by one twist when occasionally cleaned for hygienic reasons.
4. The luminous louvre and the softly lighted glass disc combine to provide an unusually pleasing effect.

The finish is two-tone aluminum and cadmium pewter.

Self-aligning swivel joint concealed in canopy.

Cat. No.	Wattage	Length (Suspen.)	Dia.
301/2	200	24"	18½"
302/3	300	31"	20½"
302/5	500	31"	20½"
Patented No. 1596725			

[BLANK PAGE]



CCA



SILVRAY

"Moderne"

An all metal indirect luminaire of simple design.

Totally indirect of the opaque bowl type, possessing many attractive features.

No cleaning maintenance required, since dust accumulating in the bowl has no affect on light output.

When occasionally washed for hygienic reasons, one twist removes bowl and support from suspension.

Constructed from heavy gauge metal -- Reeded stem suspension -- Durably enameled in Ivory or Sprayed Bronze.

Self-aligning swivel joint.

Cat. No.	Wattage	Length (Suspen.)	Dia.
510/1½	150	24"	14"
511/2	200	24"	16"
512/3	300	31"	18"
512/5	500	31"	18"
513/7½	750	38"	24"
513/10	1000	38"	24"
513/15	1500	38"	24"

Patented No. 1609870

[BLANK PAGE]



CCA



SILVRAY

"Metalux"

A good looking all metal unit with modernistic lines.

Totally indirect, of the opaque bowl type.

No cleaning maintenance required, since dust accumulating in the bowl has no affect on light output.

Bowl easily detached for lamp replacements -- just one screw to be removed.

Constructed from heavy gauge metals.

Reeded stem suspension -- Self-aligning swivel joint.

Finished in satin cadmium pewter for permanence.

Cat. No.	Wattage	Length (Suspen.)	Dia.
611/2	200	24"	16"
612/3	300	31"	18"
612/5	500	31"	18"
613/7½	750	38"	24"
613/10	1000	38"	24"
613/15	1500	38"	24"

Patented No. 1609870

[BLANK PAGE]



CCA



SILVRAY *"National"*

All fixtures will be tested, weighed, and certified for accuracy.

Read all fixtures like this for features:

- (1) Weighing this fixture, you can see the weight.
- (2) The fixture will show you the weight.
- (3) The fixture will show you the weight.
- (4) The fixture will show you the weight.
- (5) The fixture will show you the weight.
- (6) The fixture will show you the weight.
- (7) The fixture will show you the weight.
- (8) The fixture will show you the weight.
- (9) The fixture will show you the weight.
- (10) The fixture will show you the weight.

Constructed from heavy gauge metal and finished in chrome (other finishes available on request).

For lighting needs, please contact us today.

Size	Weight	Material	Finish
12" x 12"	100	Aluminum	Chrome
18" x 18"	150	Aluminum	Chrome
24" x 24"	200	Aluminum	Chrome
30" x 30"	250	Aluminum	Chrome
Contact us for more information.			

[BLANK PAGE]



CCA

SILVRAY

Industrial Unit




No. 12—300-400-500 Watt Unit

The standard Industrial reflector is furnished in green porcelain enamel outside and white matte porcelain inside, with detachable husk. Special outside finishes, such as Ivory or White are also available at slight extra cost.

One-piece units are obtainable at slightly additional cost.

Complete eye-shielding is provided by the silver skin applied to the lamp itself. The design of the special reflector assures evenly distributed and diffused light of proper intensity.

The large area of the reflector creates in effect a modified form of indirect illumination for industrial plants and for locations where ceiling conditions do not permit the use of indirect luminaires.



It is practicable to use unusually large lamps -- 750, 1000, and 1500 Watt due to the eye-shielding feature provided by processed lamps.

The use of large Silvray Units for industrial purposes naturally results in lower installation cost due to lesser number of required outlets, branch wiring, switching, etc.

Also the substantial economy resulting from smaller number of lighting units necessary.







[BLANK PAGE]



CCA

SILVRAY PRICE SCHEDULE

COMMERCIAL UNITS

	Unit	Cat.No.	Wattage	Price	Dia- meter	Sus- pension*	Standard Package	Approx. Shipping Weight
	STANDISH	101-2	200	17.50	16"	24"	1	11 lbs.
		102-3	300	19.50	18"	31"	1	13 "
		102-5	500	19.50	18"	31"	1	13 "
	PILGRIM	110-2	200	17.50	16"	24"	1	10 "
		111-3	300	19.50	18"	31"	1	12 "
		111-5	500	19.50	18"	31"	1	12 "
	BILITE	200-1	100	16.00	14"	24"	1	9 "
		200-1½	150	16.00	14"	24"	1	9 "
		201-2	200	17.50	16"	24"	1	11 "
		202-3	300	19.50	18"	31"	1	12 "
		202-5	500	19.50	18"	31"	1	12 "
		203-7½	750	32.50	24"	38"	1	16 "
		203-10	1000	32.50	24"	38"	1	16 "
		203-15	1500	32.50	24"	38"	1	16 "
	OLD COLONY	210-1½	150	15.00	14"	24"	1	6 "
		211-2	200	16.00	16"	24"	1	7½ "
		212-3	300	17.50	18"	31"	1	9 "
		212-5	500	17.50	18"	31"	1	9 "
		213-7½	750	26.00	24"	38"	1	16 "
		213-10	1000	26.00	24"	38"	1	16 "
		213-15	1500	26.00	24"	38"	1	16 "
	PURITAN	301-2	200	19.00	18½"	24"	1	11 "
		302-3	300	21.00	20½"	31"	1	13 "
		302-5	500	21.00	20½"	31"	1	13 "
	MODERNE	510-1½	150	11.50	14"	24"	1	6 "
		511-2	200	13.00	16"	24"	1	7½ "
		512-3	300	14.50	18"	31"	1	9 "
		512-5	500	14.50	18"	31"	1	9 "
		513-7½	750	19.00	24"	38"	1	16 "
		513-10	1000	19.00	24"	38"	1	16 "
		513-15	1500	19.00	24"	38"	1	16 "

(Continued on next page)





[BLANK PAGE]



CCA

SILVRAY PRICE SCHEDULE (continued)

COMMERCIAL UNITS

	Unit	Cat.No.	Wattage	Price	Dia-meter	Sus-pension*	Standard Package	Approx. Shipping Weight
	METALUX	611-2	200	16.00	16"	24"	1	7½ lbs.
		612-3	300	17.50	18"	31"	1	9 "
		612-5	500	17.50	18"	31"	1	9 "
		613-7½	750	26.00	24"	38"	1	16 "
		613-10	1000	26.00	24"	38"	1	16 "
		613-15	1500	26.00	24"	38"	1	16 "
	NATIONAL	800-1	100	17.50	16½"	24"	1	9 "
		801-2	200	19.00	18½"	24"	1	11 "
		802-3	300	21.00	20½"	31"	1	13 "
		802-5	500	21.00	20½"	31"	1	13 "
	PLYMOUTH	902-3	300	32.50	24"	31"	1	21 "
		902-5	500	32.50	24"	31"	1	21 "
		903-7½	750	47.50	30"	38"	1	28 "
		903-10	1000	47.50	30"	38"	1	28 "
		903-15	1500	47.50	30"	38"	1	28 "
*Stem Suspensions Standard Chain Suspensions Optional								
INDUSTRIAL UNITS								
	INDUSTRIAL	9	50-75	2.20	10"		10	17½ "
		10	100-150	3.60	17"		10	35 "
		11	200	4.50	20"		10	40 "
		12	300-400-500	8.75	26"		5	45 "
		12A	750-1000	9.50	26"		5	47 "

Silvray Lighting Division
Pennsylvania Globe Company
ESTABLISHED 1877
261 North Broad Street,
Philadelphia,

[BLANK PAGE]



CCA

SILVRAY Processing Prices

WATTAGE	Process Charge
40	.54
50	.54
60	.54
75	.57
100	.59
150	.62
200	.90
300	1.31
400	1.31
500	1.80
750	2.80
1000	3.75



INDIRECT



COVELITE



SPRAYLITE

Additional Charge for Frosting After Lamp is Processed

40 to 100 watt	- .05
300 to 500 watt	- .10
750 to 1000 watt	- .15

Prices quoted cover cost of the process only. Lamps are not included. If lamps are not furnished to us and are desired complete, the list price of the clear lamp must be added to the above charges.

Any of the three standard types of processing, illustrated above, are furnished at the prices quoted.

Prices for other than standard types of Silvering on request.

All Silvray Processing is unconditionally guaranteed to outlast the lamp to which it is applied.

Silvray Lighting Division

Pennsylvania Globe Company

ESTABLISHED 1877

261 North Broad Street,

Philadelphia.

[BLANK PAGE]



CCA



